Revision Date 06.03.2015

Print Date 10.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Shell Morlina S2 BL 10
Product code	:	001D7737

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Machine oil.
Uses advised against	•	This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax Email Contact for Safety Data Sheet	 : (+44) 08007318888 : If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44-(0) 151-350-4595

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.
Classification (67/548/EEC, 1999/45/EC)	
Dangerous for the environment	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Revision Date 06.03.2015

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms		
Signal word	: Danger	
Hazard statements	: H304 H412	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP criteria. HEALTH HAZARDS: May be fatal if swallowed and enters airways. ENVIRONMENTAL HAZARDS: Harmful to aquatic life with long lasting effects.
	Descention	
Precautionary statements	: Prevention P273 Response	Avoid release to the environment.
	P301 + P3	10 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
	P331 Storage:	Do NOT induce vomiting.
	P405 Disposal:	Store locked up.
	P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Contains Distillates (petroleum), hydrotreated light naphthenic.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	: Highly refined mineral oils and additives.
	The highly refined mineral oil contains <3% (w/w) DMSO-
	extract, according to IP346.

Hazardous components

sion 4.0	Revisio	on Date 06.03.2015	Prir	Print Date 10.03.20		
Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]		
Butylated hydroxytoluene	128-37-0 204-881-4 / 01- 2119565113-46	N; R50/53	Aquatic Chronic1; H410 Aquatic Acute1; H400	0.1 - 0.24		
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6 265-156-6 / 01- 2119480375-34		Asp. Tox.1; H304	80 - 95		
Triphenyl phosphate isopropylated (5% or more TPP)	68937-41-7 273-066-3		Repr.2; H361 STOT RE2; H373 Aquatic Chronic2; H411	0.1 - 2.4		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Not expected to be a health hazard when used under normal conditions.
	Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
	If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
	In case of skin contact	:	Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
	In case of eye contact	:	Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.
	If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
4.2 I	Most important symptoms and	l e	ffects, both acute and delayed
	Symptoms	:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.
4.3 I	ndication of any immediate m	ed	ical attention and special treatment needed
	Treatment	:	Notes to doctor/physician:

Revision Date 06.03.2015

Print Date 10.03.2015

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	: Do not use water in a jet.
5.2 Special hazards arising from	the substance or mixture
Specific hazards during firefighting	 Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3 Advice for firefighters	
Special protective equipment for firefighters	: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: 6.1.1 For non emergency personnel: Avoid contact with skin and eyes.
	6.1.2 For emergency responders: Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions	: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
	Local authorities should be advised if significant spillages cannot be contained.

Revision Date 06.03.2015

Print Date 10.03.2015

6.3 Methods and materials for containment and cleaning up

: Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth
or other containment material. Reclaim liquid directly or in an absorbent.
Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

General Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
7.1 Precautions for safe handling	I	
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Product Transfer	:	This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.
		Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.
		The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guidance may be obtained from the local environmental agency office.

Version 4.0	Revision Date 06.03.2015	Print Date 10.03.2015
Packaging material	: Suitable material: For containers or c steel or high density polyethylene. Unsuitable material: PVC.	ontainer linings, use mild
Container Advice	: Polyethylene containers should not b temperatures because of possible ris	1 5
7.3 Specific end use(s)		
Specific use(s)	: Not applicable.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA) , Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Revision Date 06.03.2015

Print Date 10.03.2015

8.2 Exposure controls

Engineering measures The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

 If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
 Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference

sion 4.0	Revision Date 06.03.2015	Print Date 10.03.20
	for > 480 minutes where suitable gl short-term/splash protection we rec recognize that suitable gloves offer may not be available and in this cas time maybe acceptable so long as and replacement regimes are follow a good predictor of glove resistance dependent on the exact compositio Glove thickness should be typically depending on the glove make and	commend the same, but ing this level of protection se a lower breakthrough appropriate maintenance wed. Glove thickness is not e to a chemical as it is on of the glove material.
Skin and body protection	 Skin protection is not ordinarily req work clothes. It is good practice to wear chemica 	-
Respiratory protection	: No respiratory protection is ordinari conditions of use. In accordance with good industrial precautions should be taken to avo If engineering controls do not main concentrations to a level which is a health, select respiratory protection specific conditions of use and meet Check with respiratory protective et Where air-filtering respirators are s appropriate combination of mask at Select a filter suitable for combined and vapors [Type A/Type P boiling meeting EN14387 and EN143.	hygiene practices, id breathing of material. tain airborne dequate to protect worker a equipment suitable for the ting relevant legislation. quipment suppliers. uitable, select an nd filter. I particulate/organic gases
Thermal hazards	: Not applicable	
Hygiene measures	: Exposure to this product should be reasonably practicable. Reference Health and Safety Executive's publ Essentials".	should be made to the
Environmental exposure co	ontrols	
General advice	: Take appropriate measures to fulfil relevant environmental protection le contamination of the environment b Chapter 6. If necessary, prevent u being discharged to waste water. W treated in a municipal or industrial w before discharge to surface water. Local guidelines on emission limits must be observed for the discharge vapour.	egislation. Avoid by following advice given in ndissolved material from Vaste water should be waste water treatment plant for volatile substances

Revision Date 06.03.2015

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquid at room temperature.
Colour	: light brown
Odour	: Slight hydrocarbon
Odour Threshold	: Data not available
рН	: Not applicable
pour point	: -30 °CMethod: ISO 3016
Initial boiling point and boiling range	: > 280 °Cestimated value(s)
Flash point	: 150 °C Method: ASTM D93
Evaporation rate	: Data not available
Flammability (solid, gas)	: Data not available
Upper explosion limit	: Typical 10 %(V)
Lower explosion limit	: Typical 1 %(V)
Vapour pressure	: < 0.5 Pa (20 °C) estimated value(s)
Relative vapour density	: > 1estimated value(s)
Relative density	: 0.881 (15 °C)
Density	: 881 kg/m3 (15.0 °C) Method: ISO 12185
Solubility(ies)	
Water solubility	: negligible
Solubility in other solvents	: Data not available
Partition coefficient: n- octanol/water	: Pow: > 6(based on information on similar products)
Auto-ignition temperature	: > 320 °C
Viscosity	

Version 4.0	Revision Date 06.03.2015	Print Date 10.03.2015
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 10 mm2/s (40.0 °C) Method: ASTM D445	
	2.3 mm2/s (100 °C) Method: ASTM D445	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
9.2 Other information		
Conductivity	: This material is not expected to be a static	accumulator.
Decomposition temperature	: Data not available	

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Reacts with strong oxidising agents.
10.4 Conditions to avoid Conditions to avoid	:	Extremes of temperature and direct sunlight.
10.5 Incompatible materials Materials to avoid	:	Strong oxidising agents.
10.6 Hazardous decomposition products		
Hazardous decomposition products		Hazardous decomposition products are not expected to form during normal storage.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Version 4.0		Revision Date 06.03.2015	Print Date 10.03.2015
Basis for assessment	:	Information given is based on data on the toxicology of similar products.Unlest the data presented is representative of whole, rather than for individual comport	s indicated otherwise, the product as a
Information on likely routes of exposure	:	Skin and eye contact are the primary ro although exposure may occur following	
Acute toxicity			
Product:			
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Expected to be of low toxicity	:
		Remarks: Aspiration into the lungs may pneumonitis which can be fatal.	cause chemical
Acute inhalation toxicity	:	Remarks: Not considered to be an inha normal conditions of use.	lation hazard under
Acute dermal toxicity	:	LD50 Rabbit: > 5,000 mg/kg Remarks: Expected to be of low toxicity	:

Skin corrosion/irritation

Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Serious eye damage/eye irritation

Product:

Remarks: Expected to be slightly irritating.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not expected to be a sensitiser.

Germ cell mutagenicity

Product:

: Remarks: Not considered a mutagenic hazard.

Carcinogenicity

Product:

11 / 19

Version 4.0

Revision Date 06.03.2015

Remarks: Not expected to be carcinogenic.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.
Butylated hydroxytoluene	No carcinogenicity classification.
Triphenyl phosphate isopropylated (5% or more TPP)	No carcinogenicity classification.

Reproductive toxicity

Product:

Remarks: Not expected to impair fertility., Not expected to be a developmental toxicant.

STOT - single exposure

Product:

Remarks: Not expected to be a hazard.

STOT - repeated exposure

Product:

Remarks: Not expected to be a hazard.

Aspiration toxicity

Product:

Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the

Version 4.0

environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the CMR properties

Germ cell mutagenicity- Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Carcinogenicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Reproductive toxicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract.)
Product:		
Toxicity to fish (Acute toxicity)	:	Remarks: Expected to be harmful: LL/EL/IL50 10-100 mg/I
Toxicity to crustacean (Acute toxicity)	:	Remarks: Expected to be harmful: LL/EL/IL50 10-100 mg/l
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: Expected to be harmful: LL/EL/IL50 10-100 mg/l
Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available

Revision Date 06.03.2015

Print Date 10.03.2015

	<u>Components:</u> Butylated hydroxytoluene :		
	M-Factor (Acute aquatic toxicity)	:	1
12.2	Persistence and degradability	/	
	Product:		
	Biodegradability	:	Remarks: Expected to be not readily biodegradable., Major constituents are expected to be inherently biodegradable, but contains components that may persist in the environment.
12.3	Bioaccumulative potential		
	Product:		
	Bioaccumulation	:	Remarks: Contains components with the potential to bioaccumulate.
	Partition coefficient: n- octanol/water	:	Pow: > 6Remarks: (based on information on similar products)
12.4	Mobility in soil		
	Product:		
	Mobility	:	Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile. Remarks: Floats on water.
12.5	Results of PBT and vPvB ass	es	sment
	Product:		
	Assessment	:	This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.
12.6	Other adverse effects		
	Product:		
	Additional ecological information	:	Product is a mixture of non-volatile components, which are not expected to be released to air in any significant quantities., Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential. Poorly soluble mixture., May cause physical fouling of aquatic organisms. Mineral oil is not expected to cause any chronic effects to aquatic organisms at concentrations less than 1 mg/l.

Revision Date 06.03.2015

GB

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	: Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses	
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.	
Local legislation Waste catalogue	: EU Waste Disposal Code (EWC):	
Waste Code	: 13 02 05*	
Remarks	 Disposal should be in accordance with applicable regional, national, and local laws and regulations. Classification of waste is always the responsibility of the end user. Hazardous Waste (England and Wales) Regulations 2005. 	
Waste catalogue Waste Code	: 13 02 05* Disposal should be in accordance with applicable regional, national, and local laws and regulations. Classification of waste is always the responsibility of the en- user.	d

SECTION 14: Transport information

14.1 UN number		
ADR	: Not regulated as a dangerous good	
RID	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.2 Proper shipping name		
ADR	: Not regulated as a dangerous good	
15 / 19		800001005925

	•				
Version 4.0	Revision Date 06.03.2015	Print Date 10.03.2015			
RID IMDG	: Not regulated as a dangerous good : Not regulated as a dangerous good				
ΙΑΤΑ	: Not regulated as a dangerous good				
14.3 Transport hazard class					
ADR RID	: Not regulated as a dangerous good : Not regulated as a dangerous good				
IMDG	: Not regulated as a dangerous good				
IATA	: Not regulated as a dangerous good				
	. Not regulated as a dangerous good				
14.4 Packing group					
ADR	: Not regulated as a dangerous good				
RID	: Not regulated as a dangerous good				
IMDG	: Not regulated as a dangerous good				
ΙΑΤΑ	: Not regulated as a dangerous good				
14.5 Environmental hazards					
ADR	: Not regulated as a dangerous good				
RID	: Not regulated as a dangerous good				
IMDG	: Not regulated as a dangerous good				
14.6 Special precautions for user					
Remarks	: Special Precautions: Refer to Chapte for special precautions which a user n needs to comply with in connection wi	eeds to be aware of or			
14.7 Transport in bulk according	ng to Annex II of MARPOL 73/78 and the II	3C Code			
Pollution category	: Not applicable				
Ship type	: Not applicable				
Product name	: Not applicable				
Special precautions	: Not applicable				
• •	••				

SECTION 15: Regulatory information

Additional Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: MARPOL Annex 1 rules apply for bulk shipments by sea.

REACH - List of substances s (Annex XIV)	ubject to authorisation	: Product is not subject to Authorisation under REACH.
Volatile organic compounds	: 0%	
Other regulations	Safety at Work etc. Ac Pollution Prevention a 1995. Factories Act 19 and Use of Transporta Regulations 2011. Ch	tion Act 1990 (as amended). Health and ct 1974. Consumers Protection Act 1987. nd Control Act 1999. Environment Act 961. The Carriage of Dangerous Goods able Pressure Equipment (Amendment) emicals (Hazard Information and Regulations 2009. Control of
0.140		00000100500

rsion 4.0	Revision Date 06.03.2015	Print Date 10.03.2015
	Substances Hazardous to Health Re amended). Merchant Shipping (Dan Pollutants) Regulations 1997. Report and Dangerous Occurrences Regula Personal Protective Equipment Reg Protective Equipment at Work Regu Waste (England and Wales) Regula Control of Major Accident Hazards F amended). Renewable Transport Fu (as amended). Energy Act 2011. En (England and Wales) Regulations 20 (England and Wales) Regulations 20 Planning (Hazardous Substances) A regulations. The Environmental Prot Ozone-Depleting Substances) Regu	gerous Goods and Marine rting of Injuries, Diseases ations 1995 (as amended). ulations 2002. Personal lations 1992. Hazardous tions 2005(as amended). Regulations 1999 (as uel Obligations Order 2007 vironmental Permitting 010 (as amended). Waste 011 (as amended). Act 1990 and associated rection (Controls on
The components of	this product are reported in the following inve	entories:
EINECS	: All components listed or polymer exercise	empt.

15.2 Chemical Safety Assessment

TSCA

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

: All components listed.

SECTION 16: Other information

REGULATION (EC) No Aspiration hazard, Cate		Classification procedure:		
Aspiration hazard, Cate	agory 1 H304			
	-gory 1, 11304	Expert judgement and weight of evidence determination.		
Chronic aquatic toxicity H412	v, Category 3,	Expert judgement and weight of evidence determination.		
Full text of R-Phrases R50/53	•	atic organisms, may cause long-term adverse effects in onment.		
Full text of H-Stateme	ents			
H304	May be fatal if sw	allowed and enters airways.		
H361		naging fertility or the unborn child.		
H373		ge to organs through prolonged or repeated exposure.		
H400	Very toxic to aqua			
H410	Very toxic to aqua	atic life with long lasting effects.		
H411	Toxic to aquatic li	fe with long lasting effects.		
Full text of other abbreviations				
Aquatic Acute	Acute aquatic tox	icity		
Aquatic Chronic	Chronic aquatic to			
Asp. Tox.	Aspiration hazard			
Repr.	Reproductive toxi			
STOT RE		gan toxicity - repeated exposure		

rsion 4.0	Revision Date 06.03.2	015	Print Date 10.03.20
Abbreviations and Acronyms	: The standard abbreviat document can be looke scientific dictionaries) a	ed up in reference	
	ACGIH = American Co Hygienists	nference of Gove	rnmental Industrial
	ADR = European Agree		the International
	Carriage of Dangerous AICS = Australian Inve		l Substances
	ASTM = American Soc		
	BEL = Biological expos		N I
	BTEX = Benzene, Tolu CAS = Chemical Abstra		ne, Xylenes
	CEFIC = European Ch		ouncil
	CLP = Classification Pa	ackaging and Lab	
	COC = Cleveland Oper		-
	DIN = Deutsches Institu	0	
	DMEL = Derived Minim DNEL = Derived No Ef		
	DSL = Canada Domes		t
	EC = European Comm		
	EC50 = Effective Conc		
	ECETOC = European (icology and
	Toxicology Of Chemica		
	ECHA = European Che EINECS = The Europe		xisting Commercial
	Chemical Substances		
	EL50 = Effective Loadi	ng fifty	
	ENCS = Japanese Exis	sting and New Ch	emical Substances
	Inventory	to Codo	
	EWC = European Was GHS = Globally Harmo		Classification and
	Labelling of Chemicals		
	IARC = International Ag		ch on Cancer
	IATA = International Ai		ciation
	IC50 = Inhibitory Conce		
	IL50 = Inhibitory Level IMDG = International M		is Goods
	INV = Chinese Chemic	•	
	IP346 = Institute of Pe		hod N° 346 for the
	determination of polycy		
	KECI = Korea Existing		tory
	LC50 = Lethal Concent LD50 = Lethal Dose fift	•	
	LL/EL/IL = Lethal Load		ding/Inhibitory loading
	LL50 = Lethal Loading		
	MARPOL = Internation	al Convention for	the Prevention of
	Pollution From Ships		anning / NI-
	NOEC/NOEL = No Obs Observed Effect Level	served Effect Con	icentration / No
	OBSERVED Effect Level OE_HPV = Occupation	al Exposure - Hic	h Production Volume
	PBT = Persistent, Bioa		
	PICCS = Philippine Inv		

Shell Morlina 52 BL	-		
Version 4.0	Revision Date 06.03.2015	Print Date 10.03.2015	
	Substances PNEC = Predicted No Effect Conce REACH = Registration Evaluation A Chemicals RID = Regulations Relating to Inter Dangerous Goods by Rail SKIN_DES = Skin Designation STEL = Short term exposure limit TRA = Targeted Risk Assessment TSCA = US Toxic Substances Con TWA = Time-Weighted Average vPvB = very Persistent and very Bi	And Authorisation Of rnational Carriage of ntrol Act	
Further information			
and enters airways). Th The risk arising from as physico-chemical prope therefore be controlled I measures tailored to thi		ssified as H304 (May be fatal if swallowed s). The risk relates to potential for aspiration. m aspiration hazard is solely related to the properties of the substance. The risk can billed by implementing risk management to this specific hazard and included within DS. An exposure scenario is not presented.	
	A vertical bar () in the left margin in from the previous version.	ndicates an amendment	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.