Revision Date 01.02.2016

Print Date 02.02.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Shell Turbo Oil T 68
Product code	:	001A9784

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	Turbine oil.
Uses advised against	This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	 Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax Email Contact for Safety Data Sheet	 (+44) 08007318888 If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44-(0) 151-350-4595

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	No Hazard Symbo	bl required
Signal word	:	No signal word	
Hazard statements	:		PHYSICAL HAZARDS: Not classified as a physical hazard

Version 3.1	Revision Date	01.02.2016	Print Date 02.02.2016
		according to CLP crit HEALTH HAZARDS: Not classified as a he criteria. ENVIRONMENTAL H Not classified as envi according to CLP crit	alth hazard under CLP IAZARDS: ronmental hazard
Precautionary statements	 Prevention: Response: Storage: Disposal: 	No precautionary phr No precautionary phr No precautionary phr No precautionary phr	ases. ases.
Sensitising components		enyl-1-naphthylamine. In allergic reaction.	
2.3 Other hazards			

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature :	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346.
:	* contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375- 34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01- 2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65- 0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01- 2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69- 9 (01-0000020163-82).

Hazardous components

Chemical name	CAS-No.	Classification	Concentration	I
	EC-No.	(REGULATION	[%]	I
	Registration	(EC) No		I

rsion 3.1	Rev	vision Date 01.02.2016	
N-phenyl-1- naphthylamine	number 90-30-2 201-983-0	1272/2008) Acute Tox.4; H302 Skin Sens.1B; H317 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410	0.1 - 0.24
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *		Asp. Tox.1; H304	0 - 90

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Not expected to be a health hazard when used under normal conditions.		
Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.		
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.		
In case of skin contact	 Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention. 		
In case of eye contact	: Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.		
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment	: Notes to doctor/physician: Treat symptomatically.		

Print Date 02.02.2016

Revision Date 01.02.2016

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from	 Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only. Do not use water in a jet.
Specific hazards during firefighting	 Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3 Advice for firefighters	
Special protective equipment for firefighters	: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: 6.1.1 For non emergency personnel:
	Avoid contact with skin and eyes. 6.1.2 For emergency responders:
	Avoid contact with skin and eyes.

6.2 Environmental precautions

opropriate containment to avoid environmental nination. Prevent from spreading or entering drains, s or rivers by using sand, earth, or other appropriate rs.

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Version 3.1	Revision Date 01.02.2016	Print Date 02.02.2016
Methods for cleaning up	: Slippery when spilt. Avoid accid Prevent from spreading by maki or other containment material. Reclaim liquid directly or in an a Soak up residue with an absorb suitable material and dispose of	ng a barrier with sand, earth bsorbent. ent such as clay, sand or other

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

General Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
7.1 Precautions for safe handling		
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Product Transfer	:	This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.
		Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.
		The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guidance may be obtained from the local environmental agency office.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.

Shell Turbo Oil 1 68		
Version 3.1	Revision Date 01.02.2016	Print Date 02.02.2016
Container Advice	: Polyethylene containers should not be temperatures because of possible ris	
7.3 Specific end use(s)		
Specific use(s)	: Not applicable	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure controls

Engineering measuresThe level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

Version 3.1

Revision Date 01.02.2016

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	 If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection	
Remarks	 Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm

Shell Turbo Oil T 68			
Version 3.1		Revision Date 01.02.2016	Print Date 02.02.2016
		depending on the glove make and model	l.
Skin and body protection	:	Skin protection is not ordinarily required l work clothes. It is good practice to wear chemical resis	-
Respiratory protection	:	No respiratory protection is ordinarily req conditions of use. In accordance with good industrial hygier precautions should be taken to avoid bre If engineering controls do not maintain ai concentrations to a level which is adequa health, select respiratory protection equip specific conditions of use and meeting re Check with respiratory protective equipm Where air-filtering respirators are suitable appropriate combination of mask and filte Select a filter suitable for combined partie and vapours [Type A/Type P boiling poin meeting EN14387 and EN143.	ne practices, eathing of material. irborne ate to protect worker oment suitable for the elevant legislation. eent suppliers. e, select an er. culate/organic gases
Thermal hazards	:	Not applicable	
Hygiene measures	:	Exposure to this product should be reduce reasonably practicable. Reference should Health and Safety Executive's publication Essentials".	d be made to the
Environmental exposure cor	ntr	bls	
General advice	:	Take appropriate measures to fulfill the re- relevant environmental protection legislat contamination of the environment by follo Chapter 6. If necessary, prevent undisso being discharged to waste water. Waste treated in a municipal or industrial waste before discharge to surface water. Local guidelines on emission limits for vor must be observed for the discharge of ex- vapour.	tion. Avoid bwing advice given in blved material from water should be water treatment plant blatile substances

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquid at room temperature.	
Colour	: Clear pale yellow	
/ 19		800001004655

GB

Version 3.1	Revision Date 01.02.2016	Print Date 02.02.2016
Odour	: Slight hydrocarbon	
Odour Threshold	: Data not available	
рН	: Not applicable	
pour point	: <= -24 °CMethod: ASTM D97	
Initial boiling point and boiling range	: > 280 °Cestimated value(s)	
Flash point	: >= 240 °C Method: ASTM D92	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.871 (15 °C)	
Density	: 871 kg/m3 (15 °C) Method: ASTM D4052	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: Pow: > 6(based on information o	on similar products)
Auto-ignition temperature	: > 320 °C	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 68 mm2/s (40.0 °C) Method: ASTM D445	
	8.95 mm2/s (100 °C) Method: ASTM D445	

Version 3.1	Revision Date 01.02.2016	Print Date 02.02.2016
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
9.2 Other information		
Conductivity	: This material is not expected to be a	static accumulator.
Decomposition temperature	: Data not available	

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable. No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Reacts with strong oxidising agents.
10.4 Conditions to avoid Conditions to avoid	:	Extremes of temperature and direct sunlight.
10.5 Incompatible materials		
Materials to avoid	:	Strong oxidising agents.
10.6 Hazardous decomposition p	rod	ucts

H

Hazardous decomposition	: Hazardous decomposition products are not expected to form
products	during normal storage.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Version 3.1	Revision Date 01.02.2016	Print Date 02.02.2016
Acute toxicity		
Product:		
Acute oral toxicity	: LD50 rat: > 5,000 mg/kg Remarks: Expected to be of low to>	xicity:
Acute inhalation toxicity	: Remarks: Not considered to be an normal conditions of use.	inhalation hazard under
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg Remarks: Expected to be of low to	xicity:

Skin corrosion/irritation

Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Serious eye damage/eye irritation

Product:

Remarks: Expected to be slightly irritating.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not expected to be a sensitiser.

Components:

N-phenyl-1-naphthylamine: Remarks: May cause an allergic skin reaction in sensitive individuals.

Germ cell mutagenicity

Product:

: Remarks: Not considered a mutagenic hazard.

Carcinogenicity

Product:

Remarks: Not expected to be carcinogenic.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Version 3.1

Revision Date 01.02.2016

Print Date 02.02.2016

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:

Remarks: Not expected to impair fertility., Not expected to be a developmental toxicant.

STOT - single exposure

Product:

Remarks: Not expected to be a hazard.

STOT - repeated exposure

Product:

Remarks: Not expected to be a hazard.

Aspiration toxicity

Product:

Not considered an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the CMR properties

Germ cell mutagenicity-Assessment : This product does not meet the criteria for classification in categories 1A/1B.

Version 3.1	Revision Date 01.02.2016	Print Date 02.02.2016
Carcinogenicity - Assessment	: This product does not meet the criteri categories 1A/1B.	a for classification in
Reproductive toxicity - Assessment	: This product does not meet the criteri categories 1A/1B.	a for classification in

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Product:		,
Toxicity to fish (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to crustacean (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	•	Remarks: Data not available

Components:N-phenyl-1-naphthylamine :M-Factor (Acute aquatictoxicity)

12.2 Persistence and degradability

Product:

Biodegradability

: Remarks: Expected to be not readily biodegradable., Major constituents are expected to be inherently biodegradable, but

Version 3.1	Revision Date 01.02.2016	Print Date 02.02.2016
	contains components that may pers	ist in the environment.
12.3 Bioaccumulative potential		
Product:		
Bioaccumulation	: Remarks: Contains components wit bioaccumulate.	h the potential to
Partition coefficient: n- octanol/water	: Pow: > 6Remarks: (based on inform	nation on similar products)
12.4 Mobility in soil		
Product:		
Mobility	 Remarks: Liquid under most enviror enters soil, it will adsorb to soil parti mobile. Remarks: Floats on water. 	
12.5 Results of PBT and vPvB a	ssessment	
Product:		
Assessment	: This mixture does not contain any F substances that are assessed to be	
12.6 Other adverse effects		
Product:		
Additional ecological information	 Product is a mixture of non-volatile expected to be released to air in an Not expected to have ozone depleti photochemical ozone creation potential. Poorly soluble mixture., May cause organisms. Mineral oil is not expected to cause aquatic organisms at concentrations 	y significant quantities., on potential, ntial or global warming physical fouling of aquatic any chronic effects to

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	 Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste. 	
	Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.	
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably	
14 / 19	800001004655 GB	

	·	
Version 3.1	Revision Date 01.02.2016	Print Date 02.02.2016
	to a recognized collector or contractor the collector or contractor should be Disposal should be in accordance w national, and local laws and regulation	established beforehand. ith applicable regional,
Local legislation Waste catalogue	: EU Waste Disposal Code (EWC):	
Waste Code	: 13 02 05*	
Remarks	: Classification of waste is always the user.	responsibility of the end

SECTION 14: Transport information

14.1 UN number	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
IATA	Not regulated as a dangerous good
14.2 Proper shipping name	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
ΙΑΤΑ	Not regulated as a dangerous good
14.3 Transport hazard class	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
IATA	Not regulated as a dangerous good
14.4 Packing group	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
IATA	Not regulated as a dangerous good
14.5 Environmental hazards	
ADR	Not regulated as a dangerous good
RID	Not regulated as a dangerous good
IMDG	Not regulated as a dangerous good
14.6 Special precautions for user	
Remarks	Special Precautions: Refer to Chapter 7, Handling & Storage,
	for special precautions which a user needs to be aware of or
	needs to comply with in connection with transport.
	Annex II of MARPOL 73/78 and the IBC Code

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Pollution category Ship type	: Not applicable : Not applicable	
15 / 19		800001004655

GB

Shell Turbo Oli T 68		
Version 3.1	Revision Date 01.02.2016	Print Date 02.02.2016
Product name Special precautions	: Not applicable : Not applicable	
Additional Information	: MARPOL Annex 1 rules apply for bu	ulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
REACH - List of substances sul (Annex XIV)	bject to authorisation	 Product is not subject to Authorisation under REACH. 		
Volatile organic compounds	: 0%			
Other regulations	Safety at Work etc. Ac Pollution Prevention ar 1995. Factories Act 19 and Use of Transporta Regulations 2011. Che Packaging for Supply) Substances Hazardous amended). Merchant S Pollutants) Regulations and Dangerous Occurr Personal Protective Ec Protective Equipment a Waste (England and W Control of Major Accide amended). Renewable (as amended). Energy (England and Wales) F (England and Wales) F Planning (Hazardous S regulations. The Enviro	ion Act 1990 (as amended). Health and t 1974. Consumers Protection Act 1987. nd Control Act 1999. Environment Act 61. The Carriage of Dangerous Goods ble Pressure Equipment (Amendment) emicals (Hazard Information and Regulations 2009. Control of s to Health Regulations 2002 (as Shipping (Dangerous Goods and Marine s 1997. Reporting of Injuries, Diseases rences Regulations 1995 (as amended). quipment Regulations 2002. Personal at Work Regulations 1995. Hazardous Vales) Regulations 2005(as amended). ent Hazards Regulations 1999 (as e Transport Fuel Obligations Order 2007 Act 2011. Environmental Permitting Regulations 2010 (as amended). Waste Regulations 2011 (as amended). Substances) Act 1990 and associated onmental Protection (Controls on tances) Regulations 2011.		
The components of this prod	The components of this product are reported in the following inventories:			
EINECS/ELINCS/EC TSCA	: All components listed of : All components listed.	or polymer exempt.		

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

16 / 19

Revision Date 01.02.2016

,

Full text of H-Statem	ents		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H317	May cause an allergic skin reaction.		
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
Full text of other abb	previations		
Acute Tox.	Acute toxicity		
Aquatic Acute	Acute aquatic toxicity Chronic aquatic toxicity		
Aquatic Chronic			
Asp. Tox.	Aspiration hazard		
Skin Sens.	Skin sensitisation		
STOT RE	Specific target organ toxicity - repeated exposure		
Abbreviations and Acr			
	document can be looked up in reference literature (e.g.		
	scientific dictionaries) and/or websites.		
	ACGIH = American Conference of Governmental Industrial		
	Hygienists		
	ADR = European Agreement concerning the International		
	Carriage of Dangerous Goods by Road		
	AICS – Australian Inventory of Chemical Substances		
	ASTM = American Society for Testing and Materials		
	BEL = Biological exposure limits		
	BTEX = Benzene, Toluene, Ethylbenzene, Xylenes		
	CAS = Chemical Abstracts Service		
	CEFIC = European Chemical Industry Council		
	CLP = Classification Packaging and Labelling		
	COC = Cleveland Open-Cup		
	DIN = Deutsches Institut fur Normung		
	DMEL = Derived Minimal Effect Level		
	DNEL = Derived No Effect Level		
	DSL = Canada Domestic Substance List		
	EC = European Commission		
	EC50 = Effective Concentration fifty		
	ECETOC = European Center on Ecotoxicology and		
	Toxicology Of Chemicals ECHA = European Chemicals Agency		
	EINECS = The European Inventory of Existing Commercial Chemical Substances		
	EL50 = Effective Loading fifty		
	ENCS = Japanese Existing and New Chemical Substances		
	Inventory		
	EWC = European Waste Code		
	GHS = Globally Harmonised System of Classification and		
	Labelling of Chemicals		
	IARC = International Agency for Research on Cancer		

hell Turbo Oil T 68	Devision Date 01.02.2010	Drint Date 02.02.2040
rsion 3.1	Revision Date 01.02.2016	Print Date 02.02.2016
	IATA = International Air Transport Association IC50 = Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG = International Maritime Dangerous Goods INV = Chinese Chemicals Inventory IP346 = Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI = Korea Existing Chemicals Inventory LC50 = Lethal Concentration fifty LD50 = Lethal Dose fifty per cent. LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading LL50 = Lethal Loading fifty MARPOL = International Convention for the Prevention of Pollution From Ships NOEC/NOEL = No Observed Effect Concentration / No Observed Effect Level OE_HPV = Occupational Exposure - High Production Volume PBT = Persistent, Bioaccumulative and Toxic PICCS = Philippine Inventory of Chemicals and Chemical Substances PNEC = Predicted No Effect Concentration Of Chemicals RID = Regulations Relating to International Carriage of Dangerous Goods by Rail SKIN_DES = Skin Designation STEL = Short term exposure limit TRA = Targeted Risk Assessment TSCA = US Toxic Substances Control Act TWA = Time-Weighted Average vPvB = very Persistent and very Bioaccumulative	
Further information		
Other information	: No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.	
	A vertical bar (I) in the left margin	indicates an amendment

A vertical bar (|) in the left margin indicates an amendment from the previous version.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Revision Date 01.02.2016

Print Date 02.02.2016