Version 3.2

Revision Date 15.01.2016

Print Date 16.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Shell Corena S2 P 150
Product code	:	001D7780

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	Compressor oil.
Uses advised against	This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	 Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax Email Contact for Safety Data Sheet	 : (+44) 08007318888 : If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44-(0) 151-350-4595

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	No Hazard Symbol required	
Signal word	:	No signal word	
Hazard statements	:		PHYSICAL HAZARDS: Not classified as a physical hazard

Version 3.2	Revision Date 15.01.2016		Print Date 16.01.2016
		according to CLP criteria HEALTH HAZARDS: Not classified as a health criteria. ENVIRONMENTAL HAZ Not classified as environ according to CLP criteria	h hazard under CLP ZARDS: Imental hazard
Precautionary statements	Prevention:		
	Response:	No precautionary phrase	
	Storage:	No precautionary phrase	es.
	Disposal:	No precautionary phrase	es.
	Disposal.	No precautionary phrase	es.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

SECTION 4: First aid measures

4.1 Description of first aid measu	res	5
General advice	:	Not expected to be a health hazard when used under normal conditions.
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.

Version 3.2	Revision Date 15.01.2016	Print Date 16.01.2016	
In case of skin contact	water and follow by washing with soar	Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.	
In case of eye contact		Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.	
If swallowed	. ,	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.	
4.2 Most important symptoms a	nd effects, both acute and delayed		
Symptoms	 Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea. 		
4.3 Indication of any immediate	medical attention and special treatment	needed	
Treatment	: Notes to doctor/physician: Treat symptomatically.		

5.1 Extinguishing media

Suitable extinguishing media		Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Version 3.2	Revision Date 15.01.2016	Print Date 16.01.2016
Personal precautions	 6.1.1 For non emergency personnel: Avoid contact with skin and eyes. 6.1.2 For emergency responders: Avoid contact with skin and eyes. 	
6.2 Environmental precautions		
Environmental precautions	Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.	
	Local authorities should be advised if s cannot be contained.	ignificant spillages
6.3 Methods and materials for co	ntainment and cleaning up	
Methods for cleaning up	 Slippery when spilt. Avoid accider Prevent from spreading by making or other containment material. Reclaim liquid directly or in an abs Soak up residue with an absorben 	a barrier with sand, earth

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

suitable material and dispose of properly.

SECTION 7: Handling and storage

General Precautions :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
7.1 Precautions for safe handling	
Advice on safe handling :	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Product Transfer :	This material has the potential to be a static accumulator. Proper grounding and bonding procedures should be used during all bulk transfer operations.
4 / 17	800001005700

Version 3.2	Revision Date 15.01.2016	Print Date 16.01.2016
7.2 Conditions for safe storag	e, including any incompatibilities	
Other data	: Keep container tightly closed and in place. Use properly labeled and closed	
	Store at ambient temperature.	
	Refer to section 15 for any additiona covering the packaging and storage	
	The storage of this product may be s Pollution (Oil Storage) (England) Re guidance may be obtained from the agency office.	gulations. Further
Packaging material	: Suitable material: For containers or steel or high density polyethylene. Unsuitable material: PVC.	container linings, use mild
Container Advice	: Polyethylene containers should not temperatures because of possible ri	
7.3 Specific end use(s)		
Specific use(s)	: Not applicable	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact

SAFETY DATA SHEET Regulation 1907/2006/EC

Shell Corena S2 P 150

Version 3.2

Revision Date 15.01.2016

the supplier. Further national methods may be available. National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/ Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/ Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/ Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA) , Germany http://www.dguv.de/inhalt/index.jsp L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure controls

Engineering measuresThe level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	 If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection	
Remarks	 Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber
47	0000040057

ersion 3.2	Revision Date 15.01.2016	Print Date 16.01.2016
	gloves Suitability and durability usage, e.g. frequency and dura resistance of glove material, de from glove suppliers. Contamin replaced. Personal hygiene is a care. Gloves must only be worn gloves, hands should be washe Application of a non-perfumed r	tion of contact, chemical xterity. Always seek advice ated gloves should be key element of effective hand on clean hands. After using ad and dried thoroughly.
	For continuous contact we reco breakthrough time of more than for > 480 minutes where suitabl short-term/splash protection we recognize that suitable gloves of may not be available and in this time maybe acceptable so long and replacement regimes are for a good predictor of glove resistant dependent on the exact compose Glove thickness should be typic depending on the glove make a	a 240 minutes with preference le gloves can be identified. For e recommend the same, but offering this level of protection as case a lower breakthrough as appropriate maintenance ollowed. Glove thickness is not ance to a chemical as it is sition of the glove material. cally greater than 0.35 mm
Skin and body protection	 Skin protection is not ordinarily work clothes. It is good practice to wear chem 	
Respiratory protection	: No respiratory protection is ordi conditions of use. In accordance with good indust precautions should be taken to If engineering controls do not m concentrations to a level which health, select respiratory protect specific conditions of use and n Check with respiratory protectiv Where air-filtering respirators an appropriate combination of mas Select a filter suitable for combi and vapours [Type A/Type P bc meeting EN14387 and EN143.	rial hygiene practices, avoid breathing of material. naintain airborne is adequate to protect worker stion equipment suitable for the neeting relevant legislation. re equipment suppliers. re suitable, select an sk and filter. ined particulate/organic gases
Thermal hazards	: Not applicable	
Hygiene measures	: Exposure to this product should reasonably practicable. Referen Health and Safety Executive's p Essentials".	nce should be made to the

Version 3.2	Revision Date 15.01.2016	Print Date 16.01.2016
Environmental expos	sure controls	
General advice	: Take appropriate measures to fulfill relevant environmental protection le contamination of the environment by Chapter 6. If necessary, prevent un	gislation. Avoid / following advice given in

being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquid at room temperature.
Colour	: light brown
Odour	: Slight hydrocarbon
Odour Threshold	: Data not available
рН	: Not applicable
pour point	: -30 °CMethod: ASTM D97
Initial boiling point and boiling range	: > 280 °Cestimated value(s)
Flash point	: 240 °C Method: ASTM D92
Evaporation rate	: Data not available
Flammability (solid, gas)	: Data not available
Upper explosion limit	: Typical 10 %(V)
Lower explosion limit	: Typical 1 %(V)
Vapour pressure	: < 0.5 Pa (20 °C) estimated value(s)
Relative vapour density	: > 1estimated value(s)
Relative density	: 0.902 (15 °C)
Density	: 902 kg/m3 (15.0 °C) Method: ASTM D1298

Solubility(ies)

Version 3.2	Revision Date 15.01.2016	Print Date 16.01.2016
Water solubility Solubility in other solvents	negligibleData not available	
Partition coefficient: n- octanol/water	: Pow: > 6(based on information on simil	ar products)
Auto-ignition temperature	: > 320 °C	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 155 mm2/s (40.0 °C) Method: ASTM D445	
	12.1 mm2/s (100 °C) Method: ASTM D445	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
9.2 Other information		
Conductivity	: This material is not expected to be a sta	atic accumulator.
Decomposition temperature	: Data not available	

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

9/17		800001005700
Materials to avoid	: Strong oxidising agents.	
10.5 Incompatible materials		
Conditions to avoid	: Extremes of temperature and direct sunlight.	
10.4 Conditions to avoid		
Hazardous reactions	: Reacts with strong oxidising agents.	

GB

products

Version 3.2	Revision Date 15.01.2016	Print Date 16.01.2016
10.6 Hazardous decomposition	products	
	products	
Hazardous decomposition	: Hazardous decomposition products a	are not expected to form

during normal storage.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity		
Product:		
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Expected to be of low toxicity:
Acute inhalation toxicity	:	Remarks: Not considered to be an inhalation hazard under normal conditions of use.
Acute dermal toxicity	:	LD50 Rabbit: > 5,000 mg/kg

Skin corrosion/irritation

Product:

Remarks: Expected to be slightly irritating., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Remarks: Expected to be of low toxicity:

Serious eye damage/eye irritation

Product:

Remarks: Expected to be slightly irritating.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not expected to be a sensitiser.

Germ cell mutagenicity

10 / 17

Version 3.2

Revision Date 15.01.2016

Print Date 16.01.2016

Product:

: Remarks: Not considered a mutagenic hazard.

Carcinogenicity

Product:

Remarks: Not expected to be carcinogenic.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:

Remarks: Not expected to impair fertility., Not expected to be a developmental toxicant.

STOT - single exposure

Product:

Remarks: Not expected to be a hazard.

STOT - repeated exposure

Product:

Remarks: Not expected to be a hazard.

Aspiration toxicity

Product:

Not considered an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the

Version 3.2

Revision Date 15.01.2016

environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the CMR properties

Germ cell mutagenicity- Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Carcinogenicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Reproductive toxicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment Product:	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Floddet.		
Toxicity to fish (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to crustacean (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: Expected to be practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic toxicity)	:	Remarks: Data not available
Toxicity to crustacean (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available

Version 3.2

Revision Date 15.01.2016

12.2	2 Persistence and degradabilit	у	
	Product:		
	Biodegradability	:	Remarks: Expected to be not readily biodegradable., Major constituents are expected to be inherently biodegradable, but contains components that may persist in the environment.
12.3	Bioaccumulative potential		
	Product:		
	Bioaccumulation	:	Remarks: Contains components with the potential to bioaccumulate.
	Partition coefficient: n- octanol/water	:	Pow: > 6Remarks: (based on information on similar products)
12.4	4 Mobility in soil		
	Product:		
	Mobility	:	Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile. Remarks: Floats on water.
12.5	5 Results of PBT and vPvB ass	ses	ssment
	Product:		
	Assessment	:	This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.
12.6	Other adverse effects		
	Product:		
	Additional ecological information	:	Product is a mixture of non-volatile components, which are not expected to be released to air in any significant quantities., Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential. Poorly soluble mixture., May cause physical fouling of aquatic organisms. Mineral oil is not expected to cause any chronic effects to aquatic organisms at concentrations less than 1 mg/l.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Waste product should not be allowed to contaminate soil or
13 / 17	800001005700 GB

Version 3.2	Revision Date 15.01.2016	Print Date 16.01.2016	
	ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.		
	Disposal should be in accordance w national, and local laws and regulat Local regulations may be more strin national requirements and must be	ions. Igent than regional or	
Contaminated packaging	: Dispose in accordance with prevailing to a recognized collector or contract the collector or contractor should be Disposal should be in accordance we national, and local laws and regulat	tor. The competence of e established beforehand. vith applicable regional,	
Local legislation Waste catalogue	: EU Waste Disposal Code (EWC):		
Waste Code	: 13 02 05*		
Remarks	: Classification of waste is always the user.	e responsibility of the end	

SECTION 14: Transport information

14.1 UN number	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.2 Proper shipping name	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.3 Transport hazard class	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.5 Environmental hazards	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good

Version 3.2	Revision Date 15.01.2016	Print Date 16.01.2016	
14.6 Special precautions for us	ser		
Remarks	for special precautions which a user	: Special Precautions: Refer to Chapter 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.	
14.7 Transport in bulk according	ng to Annex II of MARPOL 73/78 and the	IBC Code	
14.7 Transport in bulk accordin Pollution category	ng to Annex II of MARPOL 73/78 and the : Not applicable	IBC Code	
•	•	IBC Code	
Pollution category	: Not applicable	IBC Code	
Pollution category Ship type	: Not applicable : Not applicable	IBC Code	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV)	: Product is not subject to Authorisation under REACH.

Volatile organic compounds : 0 %

Other regulations : Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.

The components of this product are reported in the following inventories:

Version 3.2	Revision Date 15.01.2016	Print Date 16.01.2016
EINECS TSCA	All components listed or polymer exempt.All components listed.	

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

,

Abbreviations and Acronyms	:	The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level DNEL = Derived Mo Effect Level DSL = Canada Domestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Chemicals Agency EINECS = The European Chemicals Agency EINECS = The European Inventory of Existing Commercial Chemical Substances EL50 = Effective Loading fifty ENCCS = Japanese Existing and New Chemical Substances Inventory EWC = European Waste Code GHS = Globally Harmonised System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer IATA = International Agency for Research on

nell Corena S2 P 15	0			
ersion 3.2	Revision Date 15.01.2016	Print Date 16.01.2016		
	KECI = Korea Existing Chemicals In LC50 = Lethal Concentration fifty LD50 = Lethal Dose fifty per cent. LL/EL/IL = Lethal Loading/Effective LL50 = Lethal Loading fifty MARPOL = International Convention Pollution From Ships NOEC/NOEL = No Observed Effect Observed Effect Level OE_HPV = Occupational Exposure PBT = Persistent, Bioaccumulative a PICCS = Philippine Inventory of Che Substances PNEC = Predicted No Effect Concer REACH = Registration Evaluation A Chemicals RID = Regulations Relating to Interr Dangerous Goods by Rail SKIN_DES = Skin Designation STEL = Short term exposure limit TRA = Targeted Risk Assessment	determination of polycyclic aromatics DMSO-extractables KECI = Korea Existing Chemicals Inventory LC50 = Lethal Concentration fifty LD50 = Lethal Dose fifty per cent. LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading LL50 = Lethal Loading fifty MARPOL = International Convention for the Prevention of Pollution From Ships NOEC/NOEL = No Observed Effect Concentration / No Observed Effect Level OE_HPV = Occupational Exposure - High Production Volume PBT = Persistent, Bioaccumulative and Toxic PICCS = Philippine Inventory of Chemicals and Chemical Substances PNEC = Predicted No Effect Concentration REACH = Registration Evaluation And Authorisation Of Chemicals RID = Regulations Relating to International Carriage of Dangerous Goods by Rail SKIN_DES = Skin Designation STEL = Short term exposure limit TRA = Targeted Risk Assessment TSCA = US Toxic Substances Control Act		
Further information				
Other information	 No Exposure Scenario annex is atta sheet as it is a non-classified mixtur substances. Under Article 31 of REACH, a SDS product. Therefore, this SDS has be basis to pass on potentially relevant under Article 32. 	e containing no hazardous is not required for this en created on a voluntary		
	A vertical bar () in the left margin in from the previous version	dicates an amendment		

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

from the previous version.